

2 EXXESS EASY 3

EXXESS EASY 3

Exxess easy 3 is the latest mounting system from Südmetall.

The modern door handle revolutionizes the traditional door opening concept with a fully integrated locking mechanism. This ingenious design makes the traditional key rosette superfluous and ensures a clear door aesthetic.

The mechanism inside the handle allows WC doors to be locked effortlessly by simply operating an intuitively placed slider. A discreet emergency release function offers additional security without detracting from the minimalist look or attracting attention.

The unlockable version of the door handle has no locking function. For additional security, there is also a lockable version that can be opened with a key.

Here too, the slider is positioned almost invisibly on the inside, while the door can be opened from the outside with the key.

DESIGN

The door handle is universally designed and compatible with any standard mortise lock, making it an ideal solution. Its minimalist design blends seamlessly into any modern or traditional environment, emphasizing the purity of the lines without compromising functionality.


Südmetall's new exxess easy 3 door handle combines modern design with security. A real eye-catcher that unites style and protection.



EXXESS EASY 3


PRODUCT ADVANTAGES

The versatile design of the door handle allows it to be used on both DIN right and DIN left doors, and thanks to the lifting spring on both sides, it always works reliably.




UNLOCKABLE

No sliding bolt



LOCKABLE WC

With an "invisible" sliding bolt on the inside and a discreet emergency release on the outside



LOCKABLE WITH KEY

With an "invisible" sliding bolt on the inside and a locking cylinder on the outside (keyed alike)





The sliding bolt is located on the inside of the door handle for the variants "Lockable WC" and "Lockable with key"


VOLUMINA KARREE-R





VOLUMINA KARREE-R

Black satin finish



VOLUMINA KARREE-R

Gray satin finish



VOLUMINA KARREE-R

Gold satin finish



VOLUMINA KARREE-R

White satin finish



VOLUMINA KARREE-R

Stainless steel satin finish

VOLUMINA ROTONDA-R





VOLUMINA ROTONDA-R
Black satin finish



VOLUMINA ROTONDA-R
Gray satin finish



VOLUMINA ROTONDA-R

Gold satin finish



VOLUMINA ROTONDA-R

White satin finish



VOLUMINA ROTONDA-R

Stainless steel satin finish

27.11.3920 Volumina Rotonda-R lockable with key

Article no.	Description	Color	Characteristics	PU
27.11.0010	Volumina Karree-R unlockable	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0010	Volumina Karree-R lockable WC	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0020	Volumina Karree-R lockable with key	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3010	Volumina Karree-R unlockable	Black satin finish	Lifting spring, TS 50-43 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3010	Volumina Karree-R lockable WC	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3020	Volumina Karree-R lockable with key	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0100	Volumina Karree-R unlockable	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0110	Volumina Karree-R lockable WC	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0110	Volumina Karree-R lockable with key	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3100	Volumina Karree-R unlockable	Stainless steel satin finish	Lifting spring, TS 50-43 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3110	Volumina Karree-R lockable WC	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3110	Volumina Karree-R lockable with key	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0200	Volumina Karree-R unlockable	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0200	Volumina Karree-R lockable WC	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0210	Volumina Karree-R lockable with key	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3200	Volumina Karree-R unlockable	White satin finish		Set
27.11.3200	Volumina Karree-R lockable WC	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	
27.11.3210	Volumina Karree-R lockable with key	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0300	,		Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0300	Volumina Karree-R unlockable Volumina Karree-R lockable WC	Gray satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
		Gray satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0320	Volumina Karree-R lockable with key	Gray satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3300	Volumina Karree-R unlockable	Gray satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3310	Volumina Karree-R lockable WC	Gray satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3320	Volumina Karree-R lockable with key	Gray satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0800	Volumina Karree-R unlockable	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0810	Volumina Karree-R lockable WC	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0820	Volumina Karree-R lockable with key	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3800	Volumina Karree-R unlockable	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3810	Volumina Karree-R lockable WC	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3820	Volumina Karree-R lockable with key	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
Article no.	Description	Color	Characteristics	PU
Article no. 27.11.0400	Description Volumina Rotonda-R unlockable	Color Black satin finish		PU Set
	<u> </u>		Characteristics	
27.11.0400	Volumina Rotonda-R unlockable	Black satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0400 27.11.0410	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC	Black satin finish Black satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set Set
27.11.0400 27.11.0410 27.11.0420	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key	Black satin finish Black satin finish Black satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set Set Set
27.11.0400 27.11.0410 27.11.0420 27.11.3400	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable	Black satin finish Black satin finish Black satin finish Black satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set Set Set Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC	Black satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set Set Set Set Set Set
27.11.0400 27.11.0410 27.11.0420 27.11.3400 27.11.3410 27.11.3420	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key	Black satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set Set Set Set Set Set Set Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3420 27:11.0500	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable	Black satin finish Stainless steel satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set Set Set Set Set Set Set Set Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3420 27:11.0500 27:11.0510	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R unlockable Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish Stainless steel satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3420 27:11.0500 27:11.0510 27:11.0520	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key	Black satin finish Stainless steel satin finish Stainless steel satin finish Stainless steel satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3420 27:11.0500 27:11.0510 27:11.0520 27:11.3500	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish Stainless steel satin finish Stainless steel satin finish Stainless steel satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 30-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0400 27.11.0410 27.11.0420 27.11.3400 27.11.3410 27.11.3420 27.11.0500 27.11.0510 27.11.0520 27.11.3500 27.11.3510	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable	Black satin finish Stainless steel satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3500 27:11.0500 27:11.0520 27:11.3500 27:11.3510 27:11.3520	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key	Black satin finish Stainless steel satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3500 27:11.0510 27:11.0520 27:11.3500 27:11.3520 27:11.3520 27:11.0600 27:11.0610	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish White satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3500 27:11.0520 27:11.0520 27:11.3500 27:11.3500 27:11.3500 27:11.0600 27:11.0610 27:11.0620	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key	Black satin finish Stainless steel satin finish White steel satin finish White satin finish White satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3500 27:11.0520 27:11.3500 27:11.3510 27:11.3520 27:11.0600 27:11.0610 27:11.0620 27:11.3600	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key	Black satin finish Stainless steel satin finish White satin finish White satin finish White satin finish White satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3420 27:11.0500 27:11.0510 27:11.3500 27:11.3520 27:11.3600 27:11.0610 27:11.0620 27:11.3600 27:11.3610	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish White satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3420 27:11.0500 27:11.0510 27:11.0520 27:11.3500 27:11.3520 27:11.3600 27:11.3600 27:11.3610 27:11.3610 27:11.3620	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish White satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.0500 27:11.0510 27:11.0520 27:11.3500 27:11.3520 27:11.3600 27:11.0600 27:11.0600 27:11.3610 27:11.3610 27:11.3620 27:11.3620 27:11.0700	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish White satin finish Gray satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3420 27:11.0500 27:11.0510 27:11.0520 27:11.3500 27:11.3520 27:11.3600 27:11.3600 27:11.3610 27:11.3610 27:11.3620	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key	Black satin finish Stainless steel satin finish White satin finish Gray satin finish Gray satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3420 27:11.0500 27:11.0510 27:11.0520 27:11.3500 27:11.3500 27:11.3600 27:11.0620 27:11.3610 27:11.3600 27:11.3610 27:11.3620 27:11.0700 27:11.0700 27:11.0720	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish White stain finish White satin finish Gray satin finish Gray satin finish Gray satin finish Gray satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.0500 27:11.0510 27:11.0520 27:11.3500 27:11.3500 27:11.3610 27:11.0620 27:11.3600 27:11.3610 27:11.3620 27:11.3700 27:11.0710 27:11.0720 27:11.0720 27:11.3700	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key	Black satin finish Stainless steel satin finish White stain finish White satin finish Gray satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3500 27:11.3500 27:11.3510 27:11.3620 27:11.3620 27:11.3620 27:11.3620 27:11.3700 27:11.3700 27:11.3710	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish White satin finish Gray satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3410 27:11.3420 27:11.0510 27:11.0510 27:11.0520 27:11.3500 27:11.3520 27:11.3600 27:11.3600 27:11.3610 27:11.3620 27:11.0700 27:11.0710 27:11.3700 27:11.3710 27:11.3720	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish White satin finish Gray satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3410 27:11.3410 27:11.3500 27:11.3510 27:11.3520 27:11.0600 27:11.0600 27:11.0600 27:11.3610 27:11.3620 27:11.3700 27:11.3700 27:11.3700 27:11.3700 27:11.3720 27:11.3720 27:11.3720	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key	Black satin finish Stainless steel satin finish White satin finish Gray satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0410 27:11.0420 27:11.3410 27:11.3420 27:11.0500 27:11.0510 27:11.0520 27:11.3500 27:11.3500 27:11.3600 27:11.3600 27:11.3600 27:11.3600 27:11.3610 27:11.3700 27:11.3700 27:11.3710 27:11.3720 27:11.3720 27:11.0910	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish White satin finish Gray satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0420 27:11.3400 27:11.3410 27:11.3420 27:11.0500 27:11.0510 27:11.0520 27:11.3500 27:11.3500 27:11.3600 27:11.0620 27:11.3610 27:11.3600 27:11.3610 27:11.3700 27:11.3710 27:11.3710 27:11.3720 27:11.0900 27:11.0900 27:11.0920	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish White satin finish Gray satin finish Gold satin finish Gold satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27:11.0400 27:11.0410 27:11.0410 27:11.0420 27:11.3410 27:11.3420 27:11.0500 27:11.0510 27:11.0520 27:11.3500 27:11.3500 27:11.3600 27:11.3600 27:11.3600 27:11.3600 27:11.3610 27:11.3700 27:11.3700 27:11.3710 27:11.3720 27:11.3720 27:11.0910	Volumina Rotonda-R unlockable Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable with key Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC Volumina Rotonda-R lockable WC	Black satin finish Stainless steel satin finish White satin finish Gray satin finish	Characteristics Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set

Gold satin finish

Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm

EXXESS EASY 3



Article no.	Description	Color	Characteristics	PU
27.11.1000	Billy-R unlockable with screw rosette	Stainless steel satin	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1010	Billy-R lockable WC with screw rosette	Stainless steel satin	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1020	Billy-R lockable with key with screw rosette	Stainless steel satin	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1030	Billy-R lockable WC with screw rosette	Stainless steel satin	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1040	Billy-R lockable with key with screw rosette	Stainless steel satin	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1100	Billy-R unlockable with screw rosette	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1110	Billy-R lockable WC with screw rosette	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1120	Billy-R lockable with key with screw rosette	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1130	Billy-R lockable WC with screw rosette	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1140	Billy-R lockable with key with screw rosette	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set

Article no.	Description	Norm	Color	Characteristics	PU
60.05.0110	Door hinge 2-part, Ø 15 mm	D-Standard	Black satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0060	Door hinge 3-part, Ø 15 mm	D-Standard	Black satin finish	For wooden frames with nylon sleeve	Pcs.
60.02.0040	Door hinge 2-part, Ø 15 mm	D-Standard	Stainless steel satin	For wooden frames with nylon sleeve	Pcs.
60.02.0030	Door hinge 3-part, Ø 15 mm	D-Standard	Stainless steel satin	For wooden frames with nylon sleeve	Pcs.
60.05.0200	Door hinge 2-part, Ø 15 mm	D-Standard	White satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0230	Door hinge 3-part, Ø 15 mm	D-Standard	White satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0190	Door hinge 2-part, Ø 15 mm	D-Standard	Gray satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0220	Door hinge 3-part, Ø 15 mm	D-Standard	Gray satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0240	Door hinge 2-part, Ø 15 mm	D-Standard	Gold satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0210	Door hinge 3-part, Ø 15 mm	D-Standard	Gold satin finish	For wooden frames with nylon sleeve	Pcs.
32.29.0880	Smooth sleeve, Ø 15 mm	D-Standard	Black satin finish	Height 52 mm	Pcs.
32.29.0930	Smooth sleeve, Ø 15 mm	D-Standard	Brass satin	Height 52 mm	Pcs.
60.06.0110	Door hinge 3-part, Ø 16 mm	■ Ö-Standard	Black satin finish	For wooden frames with nylon sleeve	Pcs.
32.29.0770	Smooth sleeve, Ø 16 mm	■ Ö-Standard	Black satin finish	Height 52 mm	Pcs.
32.29.0940	Smooth sleeve, Ø 16 mm	= Ö-Standard	Brass satin	Height 52 mm	Pcs.



Stidmetall

Süd-Metall Beschläge GmbH

D-83404 Ainring/Hammerau | Sägewerkstrasse 5 | T +49 (0) 86 54 / 46 75 50 | F +49 (0) 86 54 / 46 75 70 eMail: info@suedmetall.com | www.suedmetall.com



DELIVERY TERMS

Free delivery (free domicile) from € 175.00 net goods value (except long goods or pallet goods).

Package fee € 7.90 (net, without VAT).

For orders below a net goods value of € 75.00, we charge a minimum quantity surcharge of € 7.00 (net, without VAT).

Backorders will continue to be forwarded postage-free.

Freight: For pallet goods and goods over 2250 mm in length (up to approx. 80 kg), a flat-rate freight charge of € 40.00 per bundle/pallet will be applied.

From a net goods value of € 1000.00, delivery is generally FREE OF CHARGE!

(Free-house limit of € 175.00 or € 1000.00 for freight forwarding applies to deliveries within Germany and Austria!)

Except: delivery conditions to other countries! Please inquire about shipping costs!

We, SÜD-METALL BESCHLÄGE GMBH, Sägewerkstraße 5, D - 83404 Ainring / Hammerau, are responsible within the meaning of data protection law. If you are not yet our customer or have voluntarily provided us with your data for the purpose of contacting us, your data originates from our own research via freely accessible resources such as yellow pages, network platforms, trade registers and similar. Your data will be processed for the purpose of marketing without consent in accordance with Art. 6 para. 1 sentence 1 lit. f) GDPR for information in line with your interests. In any case, you can object to future processing for marketing purposes at any time. For more information on your other rights, e.g. to information, correction, deletion, your rights of appeal and to the data protection officer, please refer to our privacy policy, available at https://www.suedmetall.com/4/datenschutz/ and our information sheet on data protection, available at https://www.suedmetall.com/fileadmin/user_upload/downloads/Information_Datenschutz_D-EN.pdf.