

INNOVATIONS AROUND OUR SHOWER FITTINGS

PRODUCT OVERVIEW

Refreshingly different:
The latest shower door fittings
for a modern bathroom design

Südmetall®

04

SUPERIOR

SHOWER FITTINGS **SERIES SUPERIOR**

08

AQUA GLIDE

SHOWER FITTINGS **SERIES AQUAGLIDE**

10

STABILIZATION ANGLES

12

ACCESSORIES

NEW PRODUCTS AROUND OUR SHOWER DOOR FITTINGS

THE NEW SHOWER HARDWARE COLLECTION IS AVAILABLE!



BATHROOM ELEGANCE REDEFINED!

We have expanded our product range with two new series of shower door fittings - SUPERIOR and AQUAGLIDE - including the corresponding accessories. With great care and an eye for contemporary bathroom design, we have selected a range that not only impresses with its quality and functionality, but also sets design-oriented accents in every bathroom.

Our latest collections offer the right components for every shower enclosure - from minimalist hinges to elegant handles that make opening and closing a smooth experience. We understand the importance of details in a harmonious bathroom environment and have therefore focused on developing coherent product solutions.

The new series include a wide range of styles and finishes to ensure they fit seamlessly with your individual bathroom décor. Whether for a sleek glass shower or a more opulent option, the new shower door fittings and associated accessories represent an innovative combination of stability, durability and aesthetic appeal.

SUPERIOR

The „**Superior**“ shower fitting from SÜDMETALL sets new standards in design and functionality. With its **precise construction** and **high-quality choice of materials**, this fitting embodies state-of-the-art technology and aesthetics for sophisticated bathroom design.

Thanks to the **screw-on plate** with practical slotted holes, the „Superior“ shower fitting allows **precise and flexible installation**. The sophisticated **clip-on cover** ensures a flawless appearance by discreetly concealing installation details. As a result, the overall appearance of the shower is not disturbed, but rather emphasized by the elegant lines.

The range includes brass pendant hinges in three attractive color variants: **high-gloss chrome**, **matt black** and **matt white**. This choice of colors makes it possible to integrate the fitting seamlessly into different bathroom styles - from classically elegant to modern and minimalist.

In terms of technology, the „Superior“ shower fitting impresses with its **adjustable zero position**, which ensures perfect alignment of the shower door. Its self-closing function from an angle of around 30° ensures convenience in daily use by closing the door gently and securely. With a maximum load capacity of 45 kg, the fitting is suitable for shower doors that promise stability and durability. Supported by two hinges, the „Superior“ shower fitting ensures reliable functionality even with heavy doors.

The detail work deserves special attention: the small gap dimensions of the fitting confirm SÜDMETALL's commitment to manufacturing products of the highest precision, which is reflected in the purist design and creates barely visible transitions between the fitting and the door. Designed for glass thicknesses of 8 mm and 10 mm, this fitting is suitable for a wide range of glass shower doors, making it the ideal choice for the individual design of any bathroom.

SÜDMETALL's Superior range represents quality and style and is the perfect complement to any glass-based shower installation that values appearance and durability.

- Screw-on plate with slotted holes and clip cover
- Brass pendant hinge in three colors: high-gloss chrome-plated, matt black, matt white
- Adjustable zero position
- Self-closing from approx. 30°
- Maximum door weight 50 kg / 2 hinges
- Particularly small gap dimensions
- For glass thicknesses 8/10 mm
- Durability test according to DIN EN 14428:2015 + A1:2018 (D) point 5.5





Fig. art. no. 52.07.3530

SHOWER HINGE

Wall / glass 90°

Bright chrome-plated / black matt / white matt



Fig. art. no. 52.06.0350

SHOWER HINGE

Glass / glass 180°

Bright chrome-plated / black matt / **white matt**



Fig. art. no. 52.08.0440

SHOWER HINGE

Glass / glass 90°

Bright chrome-plated / **black matt** / white matt



Fig. art. no. 52.08.0460

SHOWER ANGLE CONNECTOR

Glass / glass 90°

Bright chrome-plated / **black matt** / white matt



Fig. art. no. 52.06.0480

SHOWER ANGLE CONNECTOR

Wall / glass 90°

Bright chrome-plated / black matt / **white matt**



Article no.	Description	Color	Characteristic	PU	Price
52.07.3530	Shower hinge Superior	Bright chrome-plated brass	Wall / glass 90°, with L-bracket, door weight max. 45 kg	pc.	64,50 €
52.07.3540	Shower hinge Superior	Bright chrome-plated brass	Glass / glass 90°, door weight max. 45 kg	pc.	88,00 €
52.07.3550	Shower hinge Superior	Bright chrome-plated brass	Glass / glass 180°, door weight max. 45 kg	pc.	78,70 €
52.07.3560	Shower angle connector Superior	Bright chrome-plated brass	Glass / glass 90°	pc.	46,50 €
52.07.3570	Shower angle connector Superior	Bright chrome-plated brass	Wall / glass 90°, with lug	pc.	32,50 €

Article no.	Description	Color	Characteristic	PU	Price
52.08.0430	Shower hinge Superior	Brass black matt	Wall / glass 90°, with L-bracket, door weight max. 45 kg	pc.	69,50 €
52.08.0440	Shower hinge Superior	Brass black matt	Glass / glass 90°, door weight max. 45 kg	pc.	92,50 €
52.08.0450	Shower hinge Superior	Brass black matt	Glass / glass 180°, door weight max. 45 kg	pc.	83,50 €
52.08.0460	Shower angle connector Superior	Brass black matt	Glass / glass 90°	pc.	47,50 €
52.08.0470	Shower angle connector Superior	Brass black matt	Wall / glass 90°, with lug	pc.	33,50 €

Article no.	Description	Color	Characteristic	PU	Price
52.06.0330	Shower hinge Superior	Brass white matt	Wall / glass 90°, with L-bracket, door weight max. 45 kg	pc.	69,50 €
52.06.0340	Shower hinge Superior	Brass white matt	Glass / glass 90°, door weight max. 45 kg	pc.	92,50 €
52.06.0350	Shower hinge Superior	Brass white matt	Glass / glass 180°, door weight max. 45 kg	pc.	83,50 €
52.06.0470	Shower angle connector Superior	Brass white matt	Glass / glass 90°	pc.	47,50 €
52.06.0480	Shower angle connector Superior	Brass white matt	Wall / glass 90°, with lug	pc.	33,50 €

AQUA GLIDE

Discover the new „**Aquaglide**“ shower range from Südmetail, which impresses with its elegance, durability and sophisticated design. Ideal for modern bathroom projects, the „Aquaglide“ series offers high-performance features that take both the appearance and functionality of your shower enclosure to a new level.

The practical **screw-on plate** with slotted holes makes installation a breeze, providing **flexible mounting options** and allowing the shower enclosure to be **perfectly aligned**. The screw covers round off the aesthetics by elegantly concealing the mounting points and thus contributing to the **sleek appearance** of the shower enclosure.

The focus of the „Aquaglide“ range is on the **high-quality zamak hinges**, which are a real eye-catcher with their high-gloss chrome-plated surface. They not only contribute to the visual enhancement of the bathroom, but also promise a robust and reliable function. A continuous seal in the hinge area is another feature of this innovative series.

The „Aquaglide“ series is designed for a door weight of up to 40 kg and offers impressive stability and safety in use with two hinges. These hinges ensure even load distribution and provide the necessary durability even with daily use.

Compatible with glass thicknesses between 6 mm, 8 mm and 10 mm, the „Aquaglide“ shower series can be integrated into a wide variety of design concepts and room conditions. Whether for a delicate glass shower door or a slightly more robust version - the flexibility of use makes this series a universal solution for bathroom designs of all kinds.

The „Aquaglide“ shower range from Südmetail is therefore the perfect symbiosis of design, technology and user-friendliness for a luxurious shower experience in your home.

- Screw-on plate with slotted holes and screw covers
- Zamak hinged door band, high-gloss chrome-plated
- Continuous seal in the hinge area
- Maximum door weight 40 kg / 2 hinges
- For glass thicknesses 6/8/10 mm
- Outward and inward opening stop hinge
- Durability test according to DIN EN 14428:2015 + A1:2018 (D) point 5.5





Fig. art. no. 52.07.3620

SHOWER DOOR HINGE

Wall / glass 90°

Zamak bright chrome-plated



Fig. art. no. 52.07.3630

SHOWER DOOR HINGE

Wall / glass 90°

Zamak bright chrome-plated



Fig. art. no. 52.07.3650

SHOWER DOOR HINGE

Glass / glass 180°

Zamak bright chrome-plated



Fig. art. no. 52.07.3660

SHOWER ANGLE CONNECTOR

Glass / glass 90°

Zamak bright chrome-plated



Fig. art. no. 52.07.3670

SHOWER ANGLE CONNECTOR

Wall / glass 90°

Zamak bright chrome-plated



Article no.	Description	Color	Characteristic	PU	Price
52.07.3620	Shower door hinge Aquaglide	Zamak bright chrome-plated	Wall / glass 90°, outside opening, door weight max. 40 kg	pc.	63,00 €
52.07.3630	Shower door hinge Aquaglide	Zamak bright chrome-plated	Wall / glass 90°, inward opening, door weight max. 40 kg	pc.	61,50 €
52.07.3650	Shower door hinge Aquaglide	Zamak bright chrome-plated	Glass / glass 180°, door weight max. 40 kg	pc.	77,00 €
52.07.3660	Shower angle connector Aquaglide	Zamak bright chrome-plated	Glass / glass 90°	pc.	65,00 €
52.07.3670	Shower angle connector Aquaglide	Zamak bright chrome-plated	Wall / glass 90°	pc.	50,50 €



STABILIZATION ANGLE

Wall / glass
Bright chrome-plated



STABILIZATION ANGLE

Wall / glass
Black matt



STABILIZATION ANGLE

Wall / glass
White matt




STABILIZATION ANGLE


Glass / glass
Bright chrome-plated

Shower enclosures made of glass are not only **contemporary** but also **functional**. The larger the shower, the greater the **wellness factor when showering**. Walk-in solutions or U-shaped showers are popular application examples. Stabilization rods and fixing elements play an important role in providing the glass shower with the necessary support. **Freestanding showers** often have to withstand heavy loads and therefore require **secure and durable stabilization**.

We offer a wide range of stabilization rods and brackets for glass showers made of high-quality materials in various designs, shapes and surfaces for a perfect symbiosis of stability and elegance. They harmonize perfectly with any modern bathroom design.



Article no.	Description	Color	Dimensions	Characteristic	PU	Price
52.07.3500	Stabilization angle right	Bright chrome-plated brass	L 140 x 220 mm	Wall / glass	pc.	96,00 €
52.07.3510	Stabilization angle left	Bright chrome-plated brass	L 140 x 220 mm	Wall / glass	pc.	96,00 €
52.07.3520	Stabilization angle	Bright chrome-plated brass	L 220 x 220 mm	Glass / glass	pc.	135,00 €
52.08.0400	Stabilization angle right	Brass black matt	L 140 x 220 mm	Wall / glass	pc.	98,00 €
52.08.0410	Stabilization angle left	Brass black matt	L 140 x 220 mm	Wall / glass	pc.	98,00 €
52.08.0420	Stabilization angle	Brass black matt	L 220 x 220 mm	Glass / glass	pc.	137,00 €
52.06.0300	Stabilization angle right	Brass white matt	L 140 x 220 mm	Wall / glass	pc.	98,00 €
52.06.0310	Stabilization angle left	Brass white matt	L 140 x 220 mm	Wall / glass	pc.	98,00 €
52.06.0320	Stabilization angle	Brass white matt	L 220 x 220 mm	Glass / glass	pc.	137,00 €



Article no.	Description	Color	Dimensions	PU	Price
52.07.3580	Glass door handle on both sides	Bright chrome-plated brass	24 x L 70 x H 50 mm	pair	37,00 €
52.08.0480	Glass door handle on both sides	Brass black matt	24 x L 70 x H 50 mm	pair	41,50 €
52.06.0490	Glass door handle on both sides	Brass white matt	24 x L 70 x H 50 mm	pair	41,50 €



Article no.	Description	Color	Characteristic	Characteristic	PU	Price
52.07.0790	Rod tube	High-gloss polished stainless steel	Ø 12,5 mm	Length 1.209 mm	pc.	20,40 €
52.07.0780	Rod tube	High-gloss polished stainless steel	Ø 12,5 mm	Length 1.500 mm	pc.	20,40 €



Article no.	Description	Color	Characteristic	Characteristic	PU	Price
52.07.1000	Rod connector	Bright chrome-plated brass	For tube diameter 12.5 mm	For glass 6/10 mm	pc.	20,40 €



Article no.	Description	Color	Characteristic	PU	Price
52.07.0990	Rod ceiling connection	Bright chrome-plated brass	For tube diameter 12.5 mm	pc.	16,40 €



Customer stamp / customer data

Südmetall[®]