

EXXESS EASY 3

PRODUCT OVERVIEW

Südmetall presents the new door handle series exxess easy 3

Stidmetall

EXXESS EASY 3

Exxess easy 3 is the latest mounting system from Südmetall.

The modern door handle revolutionizes the traditional door opening concept with a fully integrated locking mechanism. This ingenious design makes the traditional key rosette superfluous and ensures a clear door aesthetic.

The mechanism inside the handle allows WC doors to be locked effortlessly by simply operating an intuitively placed slider. A discreet emergency release function offers additional security without detracting from the minimalist look or attracting attention.


The unlockable version of the door handle has no locking function. For additional security, there is also a lockable version that can be opened with a key.

Here too, the slider is positioned almost invisibly on the inside, while the door can be opened from the outside with the key.

DESIGN

The door handle is universally designed and compatible with any standard mortise lock, making it an ideal solution. Its minimalist design blends seamlessly into any modern or traditional environment, emphasizing the purity of the lines without compromising functionality.

Südmetall's new exxess easy 3 door handle combines modern design with security. A real eye-catcher that unites style and protection.




PRODUCT ADVANTAGES

The versatile design of the door handle allows it to be used on both DIN right and DIN left doors, and thanks to the lifting spring on both sides, it always works reliably.




No sliding bolt



LOCKABLE WC

With an "invisible" sliding bolt on the inside and a discreet emergency release on the outside



LOCKABLE WITH KEY

With an "invisible" sliding bolt on the inside and a locking cylinder on the outside (keyed alike)




The sliding bolt is located on the inside of the door handle for the variants "Lockable WC" and "Lockable with key"

VOLUMINA KARREE-R





VOLUMINA KARREE-R Black satin finish



VOLUMINA KARREE-R

Gray satin finish



VOLUMINA KARREE-R Gold satin finish



VOLUMINA KARREE-R White satin finish



VOLUMINA KARREE-R Stainless steel satin finish

VOLUMINA ROTONDA-R





VOLUMINA ROTONDA-R Black satin finish



VOLUMINA ROTONDA-R Gray satin finish

VOLUMINA ROTONDA-R Gold satin finish



VOLUMINA ROTONDA-R White satin finish



VOLUMINA ROTONDA-R Stainless steel satin finish

Article no.	Description	Color	Characteristics	PU
27.11.0010	Volumina Karree-R unlockable	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0020	Volumina Karree-R lockable WC	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0030	Volumina Karree-R lockable with key	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3010	Volumina Karree-R unlockable	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3020	Volumina Karree-R lockable WC	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3030	Volumina Karree-R lockable with key	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0100	Volumina Karree-R unlockable	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0110	Volumina Karree-R lockable WC	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0120	Volumina Karree-R lockable with key	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3100	Volumina Karree-R unlockable	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3110	Volumina Karree-R lockable WC	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3120	Volumina Karree-R lockable with key	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0200	Volumina Karree-R unlockable	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0210	Volumina Karree-R lockable WC	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0220	Volumina Karree-R lockable with key	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3200	Volumina Karree-R unlockable	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3210	Volumina Karree-R lockable WC	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3220	Volumina Karree-R lockable with key	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0300	Volumina Karree-R unlockable	Grey satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0310	Volumina Karree-R lockable WC	Grey satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0320	Volumina Karree-R lockable with key	Grey satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3300	Volumina Karree-R unlockable	Grey satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3310	Volumina Karree-R lockable WC	Grey satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3320	Volumina Karree-R lockable with key	Grey satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0800	Volumina Karree-R unlockable	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0810	Volumina Karree-R lockable WC	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0820	Volumina Karree-R lockable with key	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3800	Volumina Karree-R unlockable	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3810	Volumina Karree-R lockable WC	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3820	Volumina Karree-R lockable with key	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set

Article no.	Description	Color	Characteristics	PU
27.11.0400	Volumina Rotonda-R unlockable	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0410	Volumina Rotonda-R lockable WC	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0420	Volumina Rotonda-R lockable with key	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3400	Volumina Rotonda-R unlockable	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3410	Volumina Rotonda-R lockable WC	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3420	Volumina Rotonda-R lockable with key	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0500	Volumina Rotonda-R unlockable	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0510	Volumina Rotonda-R lockable WC	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0520	Volumina Rotonda-R lockable with key	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3500	Volumina Rotonda-R unlockable	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3510	Volumina Rotonda-R lockable WC	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3520	Volumina Rotonda-R lockable with key	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0600	Volumina Rotonda-R unlockable	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0610	Volumina Rotonda-R lockable WC	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0620	Volumina Rotonda-R lockable with key	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3600	Volumina Rotonda-R unlockable	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3610	Volumina Rotonda-R lockable WC	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3620	Volumina Rotonda-R lockable with key	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0700	Volumina Rotonda-R unlockable	Grey satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0710	Volumina Rotonda-R lockable WC	Grey satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0720	Volumina Rotonda-R lockable with key	Grey satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3700	Volumina Rotonda-R unlockable	Grey satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3710	Volumina Rotonda-R lockable WC	Grey satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3720	Volumina Rotonda-R lockable with key	Grey satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0900	Volumina Rotonda-R unlockable	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0910	Volumina Rotonda-R lockable WC	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.0920	Volumina Rotonda-R lockable with key	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3900	Volumina Rotonda-R unlockable	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3910	Volumina Rotonda-R lockable WC	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.3920	Volumina Rotonda-R lockable with key	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set



Article no.	Description	Color	Characteristics	PU
27.11.1000	Billy-R unlockable with screw rosette	Stainless steel satin	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1010	Billy-R lockable WC with screw rosette	Stainless steel satin	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1020	Billy-R lockable with key with screw rosette	Stainless steel satin	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1030	Billy-R lockable WC with screw rosette	Stainless steel satin	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1040	Billy-R lockable with key with screw rosette	Stainless steel satin	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1100	Billy-R unlockable with screw rosette	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1110	Billy-R lockable WC with screw rosette	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1120	Billy-R lockable with key with screw rosette	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1130	Billy-R lockable WC with screw rosette	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1140	Billy-R lockable with key with screw rosette	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set

Article no.	Description	Norm	Color	Characteristics	PU
60.05.0110	Door hinge 2-part, Ø 15 mm	D-Standard	Black satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0060	Door hinge 3-part, Ø 15 mm	D-Standard	Black satin finish	For wooden frames with nylon sleeve	Pcs.
60.02.0040	Door hinge 2-part, Ø 15 mm	D-Standard	Stainless steel satin	For wooden frames with nylon sleeve	Pcs.
60.02.0030	Door hinge 3-part, Ø 15 mm	D-Standard	Stainless steel satin	For wooden frames with nylon sleeve	Pcs.
60.05.0200	Door hinge 2-part, Ø 15 mm	D-Standard	White satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0230	Door hinge 3-part, Ø 15 mm	D-Standard	White satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0190	Door hinge 2-part, Ø 15 mm	D-Standard	Grey satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0220	Door hinge 3-part, Ø 15 mm	D-Standard	Grey satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0240	Door hinge 2-part, Ø 15 mm	D-Standard	Gold satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0210	Door hinge 3-part, Ø 15 mm	D-Standard	Gold satin finish	For wooden frames with nylon sleeve	Pcs.
32.29.0880	Smooth sleeve, Ø 15 mm	D-Standard	Black satin finish	Height 52 mm	Pcs.
32.29.0930	Smooth sleeve, Ø 15 mm	D-Standard	Brass satin	Height 52 mm	Pcs.
60.06.0110	Door hinge 3-part, Ø 16 mm	💳 Ö-Standard	Black satin finish	For wooden frames with nylon sleeve	Pcs.
32.29.0770	Smooth sleeve, Ø 16 mm	— Ö-Standard	Black satin finish	Height 52 mm	Pcs.
32.29.0940	Smooth sleeve, Ø 16 mm	💳 Ö-Standard	Brass satin	Height 52 mm	Pcs.

Article no.	Description	Color	PU	Article no.	Description	Color	PU
27.11.4200	BB rosette Rotonda, Ø 52 mm, 2x hole	Black satin	Pair	27.11.4250	BB rosette Karree, 52 x 52 mm, 2x hole	Black satin	Pair
27.11.4210	BB rosette Rotonda, Ø 52 mm, 2x hole	White satin	Pair	27.11.4260	BB rosette Karree, 52 x 52 mm, 2x hole	White satin	Pair
27.11.4220	BB rosette Rotonda, Ø 52 mm, 2x hole	Grey satin	Pair	27.11.4270	BB rosette Karree, 52 x 52 mm, 2x hole	Grey satin	Pair
27.11.4230	BB rosette Rotonda, Ø 52 mm, 2x hole	Gold satin	Pair	27.11.4280	BB rosette Karree, 52 x 52 mm, 2x hole	Gold satin	Pair
27.11.4240	BB rosette Rotonda, Ø 52 mm, 2x hole	SS satin	Pair	27.11.4290	BB rosette Karree, 52 x 52 mm, 2x hole	SS satin	Pair
27.11.4300	PZ rosette Rotonda, Ø 52 mm, 2x hole	Black satin	Pair	27.11.4350	PZ rosette Karree, 52 x 52 mm, 2x hole	Black satin	Pair
27.11.4310	PZ rosette Rotonda, Ø 52 mm, 2x hole	White satin	Pair	27.11.4360	PZ rosette Karree, 52 x 52 mm, 2x hole	White satin	Pair
27.11.4320	PZ rosette Rotonda, Ø 52 mm, 2x hole	Grey satin	Pair	27.11.4370	PZ rosette Karree, 52 x 52 mm, 2x hole	Grey satin	Pair
27.11.4330	PZ rosette Rotonda, Ø 52 mm, 2x hole	Gold satin	Pair	27.11.4380	PZ rosette Karree, 52 x 52 mm, 2x hole	Gold satin	Pair
27.11.4340	PZ rosette Rotonda, Ø 52 mm, 2x hole	SS satin	Pair	27.11.4390	PZ rosette Karree, 52 x 52 mm, 2x hole	SS satin	Pair

Studmetall

exxess easy

Süd-Metall Beschläge GmbH

D-83404 Ainring/Hammerau | Sägewerkstrasse 5 | T +49 (0) 86 54 / 46 75 50 | F +49 (0) 86 54 / 46 75 70 eMail: info@suedmetall.com | **www.suedmetall.com**

exxess easy 3



DELIVERY TERMS Free delivery (free domicile) from € 175.00 net goods value (except long goods or pallet goods). Package fee € 7.90 (net, without VAT).

For orders below a net goods value of € 75.00, we charge a minimum quantity surcharge of € 7.00 (net, without VAT)

Freight: For pallet goods and goods over 2250 mm in length (up to approx. 80 kg), a flat-rate freight charge of € 40.00 per bundle/pallet will be applied. From a net goods value of € 1000.00, delivery is generally FREE OF CHARGE! (Free-house limit of € 175.00 or € 1000.00 for freight forwarding applies to deliveries within Germany and Austria!) Except: delivery conditions to other countries! Please inquire about shipping costs!

All information is subject to printing-related color deviations and printing errors. Prices valid until a new price list is published and only while stocks last. Our general terms of delivery and payment apply (see our website). The choice of the appropriate product/fixing for the structural conditions is at the discretion of the respective installer/planner.

Publication date of this brochure: 06.2025

We, SÜD-METALL BESCHLÄGE GMBH, Sägewerkstraße 5, D - 83404 Ainring /Hammerau, are responsible within the meaning of data protection law. If you are not yet our customer or have voluntarily provided us with your data for the purpose of contacting us, your data originates from our own research via freely accessible resources such as yellow pages, network platforms, trade registers and similar. Your data will be processed for the purpose of marketing without consent in accordance with Art. 6 para. 1 sentence 1 lit. f) GDPR for information in line with your interests. In any case, you can object to future processing for marketing purposes at any time. For more information on your other rights, e.g. to information, correction, deletion, your rights of appeal and to the data protection officer, please refer to our privacy. policy, available at https://www.suedmetall.com/4/datenschutz/ and our information sheet on data protection, available at https://www.suedmetall.com/filead min/user_upload/downloads/Information_Datenschutz_D-EN.pdf.